

STIC Biotechnology Systems Branch

RAW SEQUENCE LISTING **ERROR REPORT**

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) detected errors when processing the following computer readable form:

Application Serial Number:

10/564,481

Source:

IFWP

Date Processed by STIC:

1-20-06

THE ATTACHED PRINTOUT EXPLAINS DETECTED ERRORS.

PLEASE FORWARD THIS INFORMATION TO THE APPLICANT BY EITHER:

- 1) INCLUDING A COPY OF THIS PRINTOUT IN YOUR NEXT COMMUNICATION TO THE APPLICANT, WITH A NOTICE TO COMPLY or,
- 2) TELEPHONING APPLICANT AND FAXING A COPY OF THIS PRINTOUT, WITH A NOTICE TO COMPLY

FOR CRF SUBMISSION AND PATENTIN SOFTWARE QUESTIONS, PLEASE CONTACT MARK SPENCER, TELEPHONE: 571-272-2510; FAX: 571-273-0221

TO REDUCE ERRORED SEQUENCE LISTINGS, PLEASE USE THE **CHECKER VERSION 4.4.0 PROGRAM**, ACCESSIBLE THROUGH THE U.S. PATENT AND TRADEMARK OFFICE WEBSITE. SEE BELOW FOR ADDRESS:

<http://www.uspto.gov/web/offices/pac/checker/chkrnote.htm>

Applicants submitting genetic sequence information electronically on diskette or CD-Rom should be aware that there is a possibility that the disk/CD-Rom may have been affected by treatment given to all incoming mail.

Please consider using alternate methods of submission for the disk/CD-Rom or replacement disk/CD-Rom.

Any reply including a sequence listing in electronic form should NOT be sent to the 20231 zip code address for the United States Patent and Trademark Office, and instead should be sent via the following to the indicated addresses:

1. EFS-Bio (<**<http://www.uspto.gov/ebc/efs/downloads/documents.htm>**> , EFS Submission User Manual - ePAVE)
2. U.S. Postal Service: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450
3. Hand Carry, Federal Express, United Parcel Service, or other delivery service (EFFECTIVE 01/14/05):
U.S. Patent and Trademark Office, Mail Stop Sequence, Customer Window, Randolph Building, 401 Dulany Street, Alexandria, VA 22314

Revised 01/10/06



IFWP

RAW SEQUENCE LISTING

DATE: 01/20/2006

PATENT APPLICATION: US/10/564,481

TIME: 12:16:44

Input Set : A:\2006-0025A Sequence Listing.txt

Output Set: N:\CRF4\01202006\J564481.raw

3 <110> APPLICANT: Japan Science and Technology Corporation
 5 <120> TITLE OF INVENTION: Diagnosis method of endometriosis
 7 <130> FILE REFERENCE: 03-F-103PCT
 C--> 9 <140> CURRENT APPLICATION NUMBER: US/10/564,481
 C--> 9 <141> CURRENT FILING DATE: 2006-01-13
 9 <150> PRIOR APPLICATION NUMBER: JP2003-196455
 10 <151> PRIOR FILING DATE: 2003-07-14
 12 <160> NUMBER OF SEQ ID NOS: 8
 14 <170> SOFTWARE: PatentIn version 3.1

ERRORED SEQUENCES

177 <210> SEQ ID NO: 8
 178 <211> LENGTH: 22
 179 <212> TYPE: DNA
 180 <213> ORGANISM: Artificial
 182 <220> FEATURE:
 183 <223> OTHER INFORMATION: Description of Artificial sequence: Synthetic
 oligonucleotide
 185 <400> SEQUENCE: 8
 E--> 186 ttgaattctt aacatttctc catctctaa

Does Not Comply
 Corrected Diskette Needed

(Pg. 1)

29
 =

RAW SEQUENCE LISTING ERROR SUMMARY
PATENT APPLICATION: US/10/564,481

DATE: 01/20/2006
TIME: 12:16:45

Input Set : A:\2006-0025A Sequence Listing.txt
Output Set: N:\CRF4\01202006\J564481.raw

Invalid <213> Response:

Use of "Artificial" only as "<213> Organism" response is incomplete,
per 1.823(b) of New Sequence Rules. Valid response is Artificial Sequence.

Seq#:3,4,5,6,7,8

VERIFICATION SUMMARY

PATENT APPLICATION: US/10/564,481

DATE: 01/20/2006

TIME: 12:16:45

Input Set : A:\2006-0025A Sequence Listing.txt

Output Set: N:\CRF4\01202006\J564481.raw

L:9 M:270 C: Current Application Number differs, Replaced Current Application No
L:9 M:271 C: Current Filing Date differs, Replaced Current Filing Date
L:26 M:258 W: Mandatory Feature missing, <223> Blank for SEQ#:1,Line#:24
L:186 M:252 E: No. of Seq. differs, <211> LENGTH:Input:22 Found:29 SEQ:8 ✓